

Pos		Granulation in mm	Difference with previous	Status	Granulation in Mesh
1	QS	0,1-0,3 mm		standard	140-50
2	QQ	0,1-0,4 mm		standard	140-40
3	QQ	0,1-0,5 mm		standard	140-35
4	QS	0,3-0,5 mm		standard	50-35
5	QS	0,2-0,6 mm	032017	np	70-30
6	QQ	0,2-0,8 mm		standard	70-20
7	QS	0,3-0,9 mm (5050)	30% 02-05 / 70% 04-09	standard mix	50-20
8	QS	0,4-0,9 mm (Q0,4-0,8)		standard	40-20
9	QS	0,5-1,0 mm		standard	35-18
10	QS	0,8-1,0 mm	Available spec. request	Gran.prod.	22-18
11	QS	0,7-1,2 mm		standard	25-16
12	QQ	0,8-1,2 mm (Q0,7-1,4)	20% 08-10 / 80% G08-12		
13	QS	G0,8-1,2mm		standard	21-15
14	QS	0,9-1,6 mm	Available spec. request	Gran.prod.	
15	QQ	1,0-1,6 mm		standard	18-13
16	QQ	1,0-1,7 mm		standard	18-12
17	QQ	1,0-2,0 mm		standard	18-11
18	QQ	1,0-2,2 mm		standard	18-10
19	QQ	1,6-2,2 mm		standard	12-10
20	QQ	1,6-2,5 mm	102017		
21	QQ	2,0-3,0 mm		standard	10-6
22	QS	2,0-4,0 mm		standard	8-5
23	QS	3,0-5,0mm		standard	6-3 1/2
24	QS	4,0-6,0mm		standard	5-3 3/4
25	QS	3,0-8,0 mm			
26	QS	5,0-8,0 mm		standard	3 1/4-3 3/4
27	QS	8,0-12,0 mm			
Product MIX					
28	QD	0,1-0,2 mm			
29	QS	0,2-0,35 mm	012017 = QS 0,1-0,3 mm		
30	QS	0,2-0,8 mm (9010)	90% 01-05 / 10% 02-08	standard mix	
31	QS	0,2-0,9 mm (5050)	50% 01-05 / 50% 04-09	standard mix	
32	QS	0,2-0,9 mm (3565)	35% 01-05 / 65% 04-09	standard mix	